

Start



sint



Welcome...

The survey will take about 15 minutes to complete.

Before we start, we need to find out a bit more about you to ensure we get opinions from a wide range of people within our target group:

allq

[QUOTA: allq]

male

What is your self-identified gender?

male=1

☐

Male

male=2

☐

Female

male=3

☐

Prefer not to say

ageoe

Please tell us your age:

class

We would like to know about the Chief Income Earner in your household

This is the person with the largest income. If this person

- is retired with an occupational pension then answer about their most recent occupation.
- not in a paid job but has been out of work for less than 6 months, then answer about their most recent job.

The Chief Income Earner is (or was)

Semi or unskilled manual work

class=1

☐

- (e.g. Manual workers, all apprentices to be skilled trades, Caretaker, Park keeper, non-HGV driver, Shop Assistant)

Skilled manual worker

class=2

☐

- (e.g. Skilled Bricklayer, Carpenter, Plumber, Painter, Bus/ Ambulance Driver, HGV driver, AA patrolman, Pub/Bar worker, etc.)

Supervisory or clerical/ junior managerial/ professional/ administrative

class=3

☐

- (e.g. Office worker, Student Doctor, Foreman with 25+ employees, Salesperson, etc)

Intermediate managerial/ professional/ administrative

class=4



(e.g. Newly qualified (under 3 years) doctor, Solicitor, Board director small organisation, Middle Manager in large organisation, Principal Officer in civil service/local government)

Higher managerial/ professional/ administrative

class=5



- (e.g. Established doctor, Solicitor, Board Director in a large organisation (200+ employees, top level civil servant/public service employee))

class=6



Student

class=7



Casual worker – not in permanent employment

class=8



Housewife/ Homemaker

class=9



Retired and living on state pension

class=10



Unemployed or not working due to long-term sickness

class=11



Full-time carer of other household member



0%  100%

q

[QUOTA: q]



Note:

This page only contains quota information and only appears in preview mode.

0%  100%



This survey will ask you questions about **filter feeding shellfish**. By filter feeding shellfish we mean **oysters, mussels, cockles, clams and scallops**.



Please note, this **does not include** crab, crayfish, cuttlefish, lobster, octopus, prawn, shrimp and squid.



0%  100%

live



Where do you live? Please chose from the following choices:

shell

Do you eat filter feeding shellfish? By filter-feeding shellfish we mean mussels, oysters, cockles, clams and scallops.

☐ shell=1 Yes

☐ shell=2 No

effs

In the last year, how often have you eaten filter-feeding shellfish either in a restaurant or at home?

By filter-feeding shellfish we mean mussels, oysters, cockles, clams and scallops. Please choose all that apply.

	Every day	2-3 times a week	1-2 times a week	1-2 times a month	1-2 times a year	Not eaten in last year	Do not eat them ever
Eaten them raw - only in a restaurant or food outlet	<input type="radio"/> effs_r1=1	<input type="radio"/> effs_r1=2	<input type="radio"/> effs_r1=3	<input type="radio"/> effs_r1=4	<input type="radio"/> effs_r1=5	<input type="radio"/> effs_r1=6	<input type="radio"/> effs_r1=7
Eaten them cooked - only in a restaurant or food outlet	<input type="radio"/> effs_r2=1	<input type="radio"/> effs_r2=2	<input type="radio"/> effs_r2=3	<input type="radio"/> effs_r2=4	<input type="radio"/> effs_r2=5	<input type="radio"/> effs_r2=6	<input type="radio"/> effs_r2=7
Ready meal eaten at home	<input type="radio"/> effs_r3=1	<input type="radio"/> effs_r3=2	<input type="radio"/> effs_r3=3	<input type="radio"/> effs_r3=4	<input type="radio"/> effs_r3=5	<input type="radio"/> effs_r3=6	<input type="radio"/> effs_r3=7
Eaten raw at home	<input type="radio"/> effs_r4=1	<input type="radio"/> effs_r4=2	<input type="radio"/> effs_r4=3	<input type="radio"/> effs_r4=4	<input type="radio"/> effs_r4=5	<input type="radio"/> effs_r4=6	<input type="radio"/> effs_r4=7
Thoroughly cooked at home	<input type="radio"/> effs_r5=1	<input type="radio"/> effs_r5=2	<input type="radio"/> effs_r5=3	<input type="radio"/> effs_r5=4	<input type="radio"/> effs_r5=5	<input type="radio"/> effs_r5=6	<input type="radio"/> effs_r5=7
Pickled shellfish from jars	<input type="radio"/> effs_r6=1	<input type="radio"/> effs_r6=2	<input type="radio"/> effs_r6=3	<input type="radio"/> effs_r6=4	<input type="radio"/> effs_r6=5	<input type="radio"/> effs_r6=6	<input type="radio"/> effs_r6=7

water

How often do you think that you have had contact with UK recreational waters in the last year?

This can be by, for example, paddling, swimming, wading, sailing, jet skiing, kayaking, scuba diving, snorkelling, surfing, bodyboarding, kite surfing, paddleboarding, white water rafting, windsurfing, yachting, rib riding etc. in UK seas, docks, rivers, streams or lakes.

Please click the arrow to continue...





Thank you for taking part in the VIRAQUA survey.

During this survey you will be asked a bit about yourself, whether you've suffered from an upset stomach recently and what you know about the bugs that can cause them.

You will then be shown a series of pages that repeatedly present you with different sets of four hazards of life.

We ask you to identify which hazards in life that give you the most/least anxiety or fear and which you feel you have the most/least control over.

This survey has been designed by researchers at Bangor University and the University of Manchester.

This work is not for a private company and the information you provide will not be used for marketing purposes. Your responses will remain confidential and will be retained for academic research only.

The survey will take about 15 minutes to complete.

Please click on the forward arrow to continue to survey...

[Script]



0%  100%

tum



In this section we're going to ask you about whether you've had an upset stomach after eating food and after having contact with UK recreational waters, if you've sought guidance about an upset stomach and how much you know about the bugs that can cause one.

By "upset stomach" we mean onset of stomach pains that can strike quickly with force and make a person feel very sick, but which typically resolves within 2-3 days. The characteristic symptoms are **nausea, vomiting, diarrhoea, and abdominal cramping**.

Do you think that you have had an upset stomach as a result of **eating food** (food poisoning) over the last 12 months?

tum=1



Yes

tum=2



No



0%  100%

sfsf



Do you think that your upset stomach was caused by eating filter-feeding shellfish?

By filter-feeding shellfish we mean mussels, oysters, cockles, clams and scallops.

If you've been ill more than once, please consider all of them.

sfsf=1



Yes

sfsf=2



No



0%



100%

wsfsf

Where do you suspect that you ate the filter feeding shellfish that caused your upset stomach?

Again, if you've been ill more than once, please tell us about all of them and choose all that apply.

By filter-feeding shellfish we mean mussels, oysters, cockles, clams and scallops.

In a UK restaurant	<input type="checkbox"/> wsfsf_r1_c1
In a restaurant whilst abroad	<input type="checkbox"/> wsfsf_r2_c1
In a meal from a UK takeaway or street food vendor	<input type="checkbox"/> wsfsf_r3_c1
In a takeaway or street food vendor meal eaten whilst abroad	<input type="checkbox"/> wsfsf_r4_c1
In a meal cooked at home	<input type="checkbox"/> wsfsf_r5_c1
In a meal self-catered whilst abroad	<input type="checkbox"/> wsfsf_r6_c1
Other	<input type="text"/> wsfsf_r7_c1

hcsf

Did the fact that you became had an upset stomach after eating filter feeding shellfish lead to a change in your behaviour, i.e. did you

(By filter-feeding shellfish we mean mussels, oysters, cockles, clams and scallops)

	Yes	No
Permanently stop eating all shellfish in restaurants	<input type="checkbox"/> hcsf_r1=1	<input type="checkbox"/> hcsf_r1=2
Permanently stop buying all shellfish to cook at home	<input type="checkbox"/> hcsf_r2=1	<input type="checkbox"/> hcsf_r2=2
Permanently stop eating all raw shellfish	<input type="checkbox"/> hcsf_r3=1	<input type="checkbox"/> hcsf_r3=2
Permanently stop eating the sort of shellfish that you think made you ill?	<input type="checkbox"/> hcsf_r4=1	<input type="checkbox"/> hcsf_r4=2
	Yes	No
Just have a break from eating all shellfish in restaurants	<input type="checkbox"/> hcsf_r5=1	<input type="checkbox"/> hcsf_r5=2
Just have a break from buying all shellfish to cook at home	<input type="checkbox"/> hcsf_r6=1	<input type="checkbox"/> hcsf_r6=2
Just have a break from eating all raw shellfish	<input type="checkbox"/> hcsf_r7=1	<input type="checkbox"/> hcsf_r7=2
Just have a break from eating the sort of shellfish that you think made you ill	<input type="checkbox"/> hcsf_r8=1	<input type="checkbox"/> hcsf_r8=2
	Yes	No
Make sure shellfish is well cooked	<input type="checkbox"/> hcsf_r9=1	<input type="checkbox"/> hcsf_r9=2
Tell others (e.g. friends, family) that you think that eating shellfish made you ill	<input type="checkbox"/> hcsf_r10=1	<input type="checkbox"/> hcsf_r10=2

hcfbs

We are very interested to hear about how you did or did not change your behaviour after getting an upset stomach after

eating filter feeding shellfish, so if you have any further comments please use the text box below.





Thanks.

Now we'd like to know if you've had an **upset stomach after having contact with recreational waters**.

This can include, for example, paddling, swimming, wading, sailing, jet skiing, kayaking, scuba diving, snorkelling, surfing, bodyboarding, kite surfing, paddleboarding, white water rafting, windsurfing, yachting, rib riding etc in UK seas, docks, rivers, streams or lakes.

By "upset stomach" we mean onset of stomach pains that can strike quickly with force and make a person feel very sick, but which typically resolves within 2-3 days. The characteristic symptoms are **nausea, vomiting, diarrhea, and abdominal cramping**.

sfwc

So, in the past year, have you:

	1-4 times	5-7 times	more than 7 times	did not have an upset stomach
Had an upset stomach which made you feel very sick and lasted for 2-3 days after using UK recreational waters	sfwc_r1=1 <input type="radio"/>	sfwc_r1=2 <input type="radio"/>	sfwc_r1=3 <input type="radio"/>	sfwc_r1=4 <input type="radio"/>
Had an upset stomach which made you feel very sick and lasted for 2-3 days after using recreational waters whilst abroad	sfwc_r2=1 <input type="radio"/>	sfwc_r2=2 <input type="radio"/>	sfwc_r2=3 <input type="radio"/>	sfwc_r2=4 <input type="radio"/>



0%  100%

hcwc

You said that you've had an upset stomach after having contact with recreational waters. **Did this lead to a change in your behaviour, i.e. did you**

	Yes	No
Stop using recreational waters?	<div>hcwc_r1=1</div> <div><input type="radio"/></div>	<div>hcwc_r1=2</div> <div><input type="radio"/></div>
Have a temporary break from using recreational waters?	<div>hcwc_r2=1</div> <div><input type="radio"/></div>	<div>hcwc_r2=2</div> <div><input type="radio"/></div>
Change the places you visited?	<div>hcwc_r3=1</div> <div><input type="radio"/></div>	<div>hcwc_r3=2</div> <div><input type="radio"/></div>
Change your recreational activities?	<div>hcwc_r4=1</div> <div><input type="radio"/></div>	<div>hcwc_r4=2</div> <div><input type="radio"/></div>
Start using hand sanitizer after your visit/activity?	<div>hcwc_r5=1</div> <div><input type="radio"/></div>	<div>hcwc_r5=2</div> <div><input type="radio"/></div>
Tell others (e.g. friends, family) that you think that using recreational waters made you ill?	<div>hcwc_r6=1</div> <div><input type="radio"/></div>	<div>hcwc_r6=2</div> <div><input type="radio"/></div>

hcfbw

We are very interested to hear about how you did or did not change your behaviour after getting an upset stomach after using recreational waters, so if you have any further comments please use the text box below.



0% 100%

nurse



Thanks

Some bugs that cause an upset stomach which causes pain and strikes very quickly with symptoms of nausea, vomiting, diarrhoea, and abdominal cramping can be very easily spread from one person to another. **Therefore, we'd like to know if you have:**

	Yes	No
Nursed someone who had an upset stomach and then became ill yourself <u>in the UK</u>	<div>nurse_r1=1</div> <input type="radio"/>	<div>nurse_r1=2</div> <input type="radio"/>
Nursed someone who had an upset stomach and then became ill yourself <u>whilst abroad</u>	<div>nurse_r2=1</div> <input type="radio"/>	<div>nurse_r2=2</div> <input type="radio"/>



0% 100%

adv



In the last year, have you ever looked for advice or guidance about an upset stomach?

By "upset stomach" we mean onset of stomach pains that can strike quickly with force and make a person feel very sick, but which typically resolves within 2-3 days. The characteristic symptoms are **nausea, vomiting, diarrhoea, and abdominal cramping**.

adv=1

Yes



adv=2

No



0%  100%

advy

Where have you ever looked for advice or guidance about an upset stomach in the last year? Please choose all that apply.

By "upset stomach" we mean onset of stomach pains that can strike quickly with force and make a person feel very sick, but which typically resolves within 2-3 days. The characteristic symptoms are **nausea, vomiting, diarrhoea, and abdominal cramping**.

- ☐ **advy_1** Accident and Emergency (A&E) department
- ☐ **advy_2** Local GP
- ☐ **advy_3** Walk in medical centre
- ☐ **advy_4** NHS 111 phone service
- ☐ **advy_5** NHS Choices website
- ☐ **advy_6** Public Health England/Wales/Health Protection Scotland websites
- ☐ **advy_7** Food Standards Agency (FSA)/ Food Standards Scotland (FS Scotland) website
- ☐ **advy_8** Newspapers
- ☐ **advy_9** Online newspapers
- ☐ **advy_10** Friends, family, social media
- ☐ **advy_11** Internet to search that lead to any other unknown websites e.g. www.mayoclinic.org, www.healthline.com, netdoctor.co.uk, www.medbroadcast.com etc.
- ☐ **advy_12** Other (please state in the text box)



0%  100%

wly

Thanks.

You have said that you have used these websites provided by the UK Government:

[Script]
[Script]
[Script]

Would you consider looking at these online tools provided by the UK Government in the future?

Please choose all that apply.

- ☐ wly_1 Accident and Emergency (A&E) department
- ☐ wly_2 Local GP
- ☐ wly_3 Walk in medical centre
- ☐ wly_4 NHS 111 phone service
- ☐ wly_5 NHS Choices website
- ☐ wly_6 Public Health England/Wales/Health Protection Scotland websites
- ☐ wly_7 Food Standards Agency (FSA)/ Food Standards Scotland (FS Scotland) website
- ☐ wly_8 Newspapers
- ☐ wly_9 Online newspapers
- ☐ wly_10 Friends, family, social media
- ☐ wly_11 Internet to search that lead to any other unknown websites e.g. www.mayoclinic.org, www.healthline.com, netdoctor.co.uk, www.medbroadcast.com etc.
- ☐ wly_12 Other (please state in the text box)

ygt

Do you feel UK government agencies, such as the Food Standards Agency/ Food Standards Scotland, provide enough information about reasons for and prevention tips to avoid an upset stomach?

By "upset stomach" we mean onset of stomach pains that can strike quickly with force and make a person feel very sick, but which typically resolves within 2-3 days. The characteristic symptoms are **nausea, vomiting, diarrhoea, and abdominal cramping**.

- ☐ ygt=1 Yes
- ☐ ygt=2 No
- ☐ ygt=3 Don't know

yfb

We are very interested to hear your opinion on this, so if you have any further comments please use the text box below.



ngt

You didn't select any websites provided by the UK Government, such as the Food Standards Agency. Is this because:

ngt=1

☐

You were not aware they offered advice

ngt=2

☐

You did not find their advice useful

ngt=3

ngt_3_other

☐

Other (please state why in the text box)

wln

Would you consider looking at these websites provided by the UK Government in the future?

Please choose all that apply.

wln_1

☐

Accident and Emergency (A&E) department

wln_2

☐

Local GP

wln_3

☐

Walk in medical centre

wln_4

☐

NHS 111 phone service

wln_5

☐

NHS Choices website

wln_6

☐

Public Health England/Wales/Health Protection Scotland websites

wln_7

☐

Food Standards Agency (FSA)/ Food Standards Scotland (FS Scotland) website

wln_8

☐

Newspapers

wln_9

☐

Online newspapers

wln_10

☐

Friends, family, social media

wln_11

☐

Internet to search that lead to any other unknown websites e.g. www.mayoclinic.org, www.healthline.com, netdoctor.co.uk, www.medbroadcast.com etc.

wln_12

☐

wln_12_other

Other (please state in the text box)

nfb

We are very interested to hear your opinion on this, so if you have any further comments please use the text box below.



Where would you consider looking for advice or guidance about an upset stomach? Please choose all that apply.

By "upset stomach" we mean onset of stomach pains that can strike quickly with force and make a person feel very sick, but which typically resolves within 2-3 days. The characteristic symptoms are **nausea, vomiting, diarrhoea, and abdominal cramping**.

- ☐ **advn_1** Accident and Emergency (A&E) department
- ☐ **advn_2** Local GP
- ☐ **advn_3** Walk in medical centre
- ☐ **advn_4** NHS 111 phone service
- ☐ **advn_5** NHS Choices website
- ☐ **advn_6** Public Health England/Wales/Health Protection Scotland websites
- ☐ **advn_7** Food Standards Agency (FSA)/ Food Standards Scotland (FS Scotland) website
- ☐ **advn_8** Newspapers
- ☐ **advn_9** Online newspapers
- ☐ **advn_10** Friends, family, social media
- ☐ **advn_11** Internet to search that lead to any other unknown websites e.g. www.mayoclinic.org, www.healthline.com, netdoctor.co.uk, www.medbroadcast.com etc.
- ☐ **advn_12** **advn_12_other** Other (please state in the text box)



0%  100%

cgtn

You answered that you would use websites provided by the government to obtain information.

Do you feel UK government agencies, such as the Food Standards Agency/ Food Standards Scotland, provide enough information about reasons for and prevention tips to avoid an upset stomach?

By "upset stomach" we mean onset of stomach pains that can strike quickly with force and make a person feel very sick, but which typically resolves within 2-3 days. The characteristic symptoms are **nausea, vomiting, diarrhoea, and abdominal cramping**.

cgtn=1



Yes

cgtn=2



No

cgtn=3



Don't know

fbcn

We are very interested to hear your opinion on this, so if you have any further comments please use the text box below.



0% 100%

ngtn

You didn't select any websites provided by the UK Government, such as the Food Standards Agency. Is this because:

ngtn=1



You were not aware they offered advice

ngtn=2



You did not find their advice useful

ngtn=3



ngtn_3_other

Other (please state why in the text box)

fbnn

We are very interested to hear your opinion on this, so if you have any further comments please use the text box below.



0%  100%



Thank you!

This is the last question of this section.

We would like to you to tell us how much you have heard about bugs that can cause upset stomachs.

By "upset stomach" we mean onset of stomach pains that can strike quickly with force and make a person feel very sick, but which typically resolves within 2-3 days. The characteristic symptoms are **nausea, vomiting, diarrhoea, and abdominal cramping**.

	Never heard of	Heard of, but know nothing	Know a little bit about it	Know a lot about it
<i>Salmonella</i>	bugs_r1=1	bugs_r1=2	bugs_r1=3	bugs_r1=4
MRSA (Methicillin-resistant <i>Staphylococcus aureus</i>)	bugs_r2=1	bugs_r2=2	bugs_r2=3	bugs_r2=4
<i>Cryptosporidium</i>	bugs_r3=1	bugs_r3=2	bugs_r3=3	bugs_r3=4
<i>Norovirus</i>	bugs_r4=1	bugs_r4=2	bugs_r4=3	bugs_r4=4
<i>E. coli</i>	Never heard of	Heard of, but know nothing	Know a little bit about it	Know a lot about it
	bugs_r5=1	bugs_r5=2	bugs_r5=3	bugs_r5=4
<i>Perginella</i>	bugs_r6=1	bugs_r6=2	bugs_r6=3	bugs_r6=4
<i>C. difficile</i>	bugs_r7=1	bugs_r7=2	bugs_r7=3	bugs_r7=4
<i>Listeria</i>	bugs_r8=1	bugs_r8=2	bugs_r8=3	bugs_r8=4
	Never heard of	Heard of, but know nothing	Know a little bit about it	Know a lot about it
Winter vomiting bug	bugs_r9=1	bugs_r9=2	bugs_r9=3	bugs_r9=4
<i>Shigella</i>	bugs_r10=1	bugs_r10=2	bugs_r10=3	bugs_r10=4
<i>Campylobacter</i>	bugs_r11=1	bugs_r11=2	bugs_r11=3	bugs_r11=4
<i>Rotavirus</i>	bugs_r12=1	bugs_r12=2	bugs_r12=3	bugs_r12=4





Hazards of Life

There are many hazards that we face in life.
We might get ill or have an accident.

These events might cause us anxiety or fear.
Some people might do things to reduce the risk of these bad things happening to us.

We are going to ask you about the level of anxiety or fear some Hazards cause you.
And about the degree of Control you think you have over those Hazards.





Hazards of Life

We are going to ask you about Fear (and later about Control) in relation to specific Hazards.

On the pages we follow we will show you sets of 4 hazards.

You simply choose the one you **fear** the most and the one you **fear** the least.

This will be done using **repeated sets** so we can understand how you feel about the hazards.



0%  100%

Here is an example

Fear the MOST		Fear the LEAST
<input type="radio"/>	Pesticide Residues Becoming ill from eating substances that control pests or weeds that remain on or in food	<input type="radio"/>
<input type="radio"/>	Norovirus Vomiting Bug Experiencing sudden onset of nausea followed by projectile vomiting and watery diarrhoea. Sometimes called the winter vomiting bug	<input type="radio"/>
<input type="radio"/>	Lung Disease Getting lung disease as a result of air pollution	<input type="radio"/>
<input type="radio"/>	Antibiotic Resistance Getting ill from bugs that are not killed by antibiotics	<input type="radio"/>

↑
You click 1
hazard to tell us
which you **Fear**
the MOST

↑
You click 1
hazard to tell us
which you **Fear**
the LEAST



0%  100%

fss

fear_1

Please consider the 4 hazards below:

Which hazard do you **fear** the MOST, and which do you **fear** the LEAST?

Fear the MOST		Fear the LEAST
<div>fear_1_b=8</div> <input type="radio"/>	Heart Attack Suffering a heart attack in your lifetime	<div>fear_1_w=8</div> <input type="radio"/>
<div>fear_1_b=6</div> <input type="radio"/>	Fire Fire at my home	<div>fear_1_w=6</div> <input type="radio"/>
<div>fear_1_b=11</div> <input type="radio"/>	Common Cold Getting the common cold	<div>fear_1_w=11</div> <input type="radio"/>
<div>fear_1_b=7</div> <input type="radio"/>	Diabetes Getting diabetes in your lifetime	<div>fear_1_w=7</div> <input type="radio"/>

Please click the forward arrow to continue...



0% 100%

fear_2

Please consider the 4 hazards below:

Which hazard do you **fear** the MOST, and which do you **fear** the LEAST?

Fear the MOST		Fear the LEAST
fear_2_b=6 <input type="radio"/>	Fire Fire at my home	fear_2_w=6 <input type="radio"/>
fear_2_b=3 <input type="radio"/>	Car Accident Being injured in a car accident	fear_2_w=3 <input type="radio"/>
fear_2_b=2 <input type="radio"/>	Dementia Getting dementia in your lifetime	fear_2_w=2 <input type="radio"/>
fear_2_b=14 <input type="radio"/>	Salmonella Poisoning Getting food poisoning from Salmonella	fear_2_w=14 <input type="radio"/>

Please click the forward arrow to continue...



0%  100%

fear_3

Please consider the 4 hazards below:

Which hazard do you **fear** the MOST, and which do you **fear** the LEAST?

Fear the MOST		Fear the LEAST
<div>fear_3_b=14</div> <div></div>	Salmonella Poisoning Getting food poisoning from Salmonella	<div>fear_3_w=14</div> <div></div>
<div>fear_3_b=8</div> <div></div>	Heart Attack Suffering a heart attack in your lifetime	<div>fear_3_w=8</div> <div></div>
<div>fear_3_b=5</div> <div></div>	Antibiotic Resistance Getting ill from bugs that are not killed by antibiotics	<div>fear_3_w=5</div> <div></div>
<div>fear_3_b=4</div> <div></div>	Lung Disease Getting lung disease as a result of air pollution	<div>fear_3_w=4</div> <div></div>

Please click the forward arrow to continue...



0%  100%

fear_4

Please consider the 4 hazards below:

Which hazard do you **fear** the MOST, and which do you **fear** the LEAST?

Fear the MOST		Fear the LEAST
<div>fear_4_b=4</div> <div></div>	Lung Disease Getting lung disease as a result of air pollution	<div>fear_4_w=4</div> <div></div>
<div>fear_4_b=12</div> <div></div>	Dog Bite Being bitten by a dog	<div>fear_4_w=12</div> <div></div>
<div>fear_4_b=3</div> <div></div>	Car Accident Being injured in a car accident	<div>fear_4_w=3</div> <div></div>
<div>fear_4_b=15</div> <div></div>	Lightning Being struck by lightning	<div>fear_4_w=15</div> <div></div>

Please click the forward arrow to continue...



0%  100%

fear_5

Please consider the 4 hazards below:

Which hazard do you **fear** the MOST, and which do you **fear** the LEAST?

Fear the MOST		Fear the LEAST
fear_5_b=2 <input type="radio"/>	Dementia Getting dementia in your lifetime	fear_5_w=2 <input type="radio"/>
fear_5_b=5 <input type="radio"/>	Antibiotic Resistance Getting ill from bugs that are not killed by antibiotics	fear_5_w=5 <input type="radio"/>
fear_5_b=1 <input type="radio"/>	Terrorist Attack Being a victim of a terrorist attack	fear_5_w=1 <input type="radio"/>
fear_5_b=16 <input type="radio"/>	Norovirus Vomiting Bug Catching a bug which causes nausea, vomiting, diarrhoea, and abdominal cramping. Sometimes called the winter vomiting bug.	fear_5_w=16 <input type="radio"/>

Please click the forward arrow to continue...



0%  100%

fear_6

Please consider the 4 hazards below:

Which hazard do you **fear** the MOST, and which do you **fear** the LEAST?

Fear the MOST		Fear the LEAST
<div>fear_6_b=12</div> <div></div>	Dog Bite Being bitten by a dog	<div>fear_6_w=12</div> <div></div>
<div>fear_6_b=11</div> <div></div>	Common Cold Getting the common cold	<div>fear_6_w=11</div> <div></div>
<div>fear_6_b=10</div> <div></div>	Skin Cancer Getting skin cancer in your lifetime	<div>fear_6_w=10</div> <div></div>
<div>fear_6_b=5</div> <div></div>	Antibiotic Resistance Getting ill from bugs that are not killed by antibiotics	<div>fear_6_w=5</div> <div></div>

Please click the forward arrow to continue...



0%  100%

fear_7

Please consider the 4 hazards below:

Which hazard do you **fear** the MOST, and which do you **fear** the LEAST?

Fear the MOST		Fear the LEAST
<div>fear_7_b=16</div> <input type="radio"/>	Norovirus Vomiting Bug Catching a bug which causes nausea, vomiting, diarrhoea, and abdominal cramping. Sometimes called the winter vomiting bug.	<div>fear_7_w=16</div> <input type="radio"/>
<div>fear_7_b=13</div> <input type="radio"/>	Bioaerosols Having breathing difficulties from inhaling spores from mould	<div>fear_7_w=13</div> <input type="radio"/>
<div>fear_7_b=11</div> <input type="radio"/>	Common Cold Getting the common cold	<div>fear_7_w=11</div> <input type="radio"/>
<div>fear_7_b=3</div> <input type="radio"/>	Car Accident Being injured in a car accident	<div>fear_7_w=3</div> <input type="radio"/>

Please click the forward arrow to continue...



0%  100%

fear_8

Please consider the 4 hazards below:

Which hazard do you **fear** the MOST, and which do you **fear** the LEAST?

Fear the MOST		Fear the LEAST
<div>fear_8_b=15</div> <div></div>	Lightning Being struck by lightning	<div>fear_8_w=15</div> <div></div>
<div>fear_8_b=16</div> <div></div>	Norovirus Vomiting Bug Catching a bug which causes nausea, vomiting, diarrhoea, and abdominal cramping. Sometimes called the winter vomiting bug.	<div>fear_8_w=16</div> <div></div>
<div>fear_8_b=8</div> <div></div>	Heart Attack Suffering a heart attack in your lifetime	<div>fear_8_w=8</div> <div></div>
<div>fear_8_b=9</div> <div></div>	Pesticide Residues Becoming ill from eating substances that control pests or weeds that remain on or in food	<div>fear_8_w=9</div> <div></div>

Please click the forward arrow to continue...











0% 100%

fear_9

Please consider the 4 hazards below:

Which hazard do you **fear** the MOST, and which do you **fear** the LEAST?

Fear the MOST		Fear the LEAST
fear_9_b=10 	Skin Cancer Getting skin cancer in your lifetime	fear_9_w=10 
fear_9_b=14 	Salmonella Poisoning Getting food poisoning from Salmonella	fear_9_w=14 
fear_9_b=13 	Bioaerosols Having breathing difficulties from inhaling spores from mould	fear_9_w=13 
fear_9_b=9 	Pesticide Residues Becoming ill from eating substances that control pests or weeds that remain on or in food	fear_9_w=9 

Please click the forward arrow to continue...



0%  100%

fear_10

Please consider the 4 hazards below:

Which hazard do you **fear** the MOST, and which do you **fear** the LEAST?

Fear the MOST		Fear the LEAST
fear_10_b=9 <input type="radio"/>	Pesticide Residues Becoming ill from eating substances that control pests or weeds that remain on or in food	fear_10_w=9 <input type="radio"/>
fear_10_b=2 <input type="radio"/>	Dementia Getting dementia in your lifetime	fear_10_w=2 <input type="radio"/>
fear_10_b=12 <input type="radio"/>	Dog Bite Being bitten by a dog	fear_10_w=12 <input type="radio"/>
fear_10_b=7 <input type="radio"/>	Diabetes Getting diabetes in your lifetime	fear_10_w=7 <input type="radio"/>

Please click the forward arrow to continue...



0%  100%

fear_11

Please consider the 4 hazards below:

Which hazard do you **fear** the MOST, and which do you **fear** the LEAST?

Fear the MOST		Fear the LEAST
<div>fear_11_b=7</div> <div></div>	Diabetes Getting diabetes in your lifetime	<div>fear_11_w=7</div> <div></div>
<div>fear_11_b=1</div> <div></div>	Terrorist Attack Being a victim of a terrorist attack	<div>fear_11_w=1</div> <div></div>
<div>fear_11_b=4</div> <div></div>	Lung Disease Getting lung disease as a result of air pollution	<div>fear_11_w=4</div> <div></div>
<div>fear_11_b=13</div> <div></div>	Bioaerosols Having breathing difficulties from inhaling spores from mould	<div>fear_11_w=13</div> <div></div>

Please click the forward arrow to continue...



0% 100%

fear_12

Please consider the 4 hazards below:

Which hazard do you **fear** the MOST, and which do you **fear** the LEAST?

Fear the MOST		Fear the LEAST
fear_12_b=1 <input type="radio"/>	Terrorist Attack Being a victim of a terrorist attack	fear_12_w=1 <input type="radio"/>
fear_12_b=10 <input type="radio"/>	Skin Cancer Getting skin cancer in your lifetime	fear_12_w=10 <input type="radio"/>
fear_12_b=6 <input type="radio"/>	Fire Fire at my home	fear_12_w=6 <input type="radio"/>
fear_12_b=15 <input type="radio"/>	Lightning Being struck by lightning	fear_12_w=15 <input type="radio"/>

Please click the forward arrow to continue...

fsf



0%  100%



Congratulations! You are now over half way through the survey. You are providing us with really important information.

Now, we're going to ask you about which life hazard you feel you have the most control over, and the hazard you feel the least control over.

You will again see sets of different combinations of life hazards.

For each set of four hazards, this time we would like you to choose which you have the most and least **control** over.

MOST Control		LEAST Control
<input type="radio"/>	Pesticide Residues Becoming ill from eating substances that control pests or weeds that remain on or in food	<input type="radio"/>
<input type="radio"/>	Norovirus Vomiting Bug Experiencing sudden onset of nausea followed by projectile vomiting and watery diarrhoea. Sometimes called the winter vomiting bug	<input type="radio"/>
<input type="radio"/>	Lung Disease Getting lung disease as a result of air pollution	<input type="radio"/>
<input type="radio"/>	Antibiotic Resistance Getting ill from bugs that are not killed by antibiotics	<input type="radio"/>


 You click 1
 hazard to tell us
 which you have
 the **MOST**
Control of


 You click 1
 hazard to tell us
 which you have
 the **MOST**
Control of



0%  100%

CSS

control_1

Please consider the 4 hazards below:

Which hazard do you feel you have the MOST **control** over, and which do you feel you have the LEAST?

MOST Control		LEAST Control
<div>control_1_b=8</div> <div></div>	Heart Attack Suffering a heart attack in your lifetime	<div>control_1_w=8</div> <div></div>
<div>control_1_b=6</div> <div></div>	Fire Fire at my home	<div>control_1_w=6</div> <div></div>
<div>control_1_b=11</div> <div></div>	Common Cold Getting the common cold	<div>control_1_w=11</div> <div></div>
<div>control_1_b=7</div> <div></div>	Diabetes Getting diabetes in your lifetime	<div>control_1_w=7</div> <div></div>

Please click the forward arrow to continue...



0% 100%

control_2

Please consider the 4 hazards below:

Which hazard do you feel you have the MOST **control** over, and which do you feel you have the LEAST?

MOST Control		LEAST Control
<div>control_2_b=6</div> <input type="radio"/>	Fire Fire at my home	<div>control_2_w=6</div> <input type="radio"/>
<div>control_2_b=3</div> <input type="radio"/>	Car Accident Being injured in a car accident	<div>control_2_w=3</div> <input type="radio"/>
<div>control_2_b=2</div> <input type="radio"/>	Dementia Getting dementia in your lifetime	<div>control_2_w=2</div> <input type="radio"/>
<div>control_2_b=14</div> <input type="radio"/>	Salmonella Poisoning Getting food poisoning from Salmonella	<div>control_2_w=14</div> <input type="radio"/>

Please click the forward arrow to continue...



0%  100%

control_3

Please consider the 4 hazards below:

Which hazard do you feel you have the MOST **control** over, and which do you feel you have the LEAST?

MOST Control		LEAST Control
<div>control_3_b=14</div> <div></div>	Salmonella Poisoning Getting food poisoning from Salmonella	<div>control_3_w=14</div> <div></div>
<div>control_3_b=8</div> <div></div>	Heart Attack Suffering a heart attack in your lifetime	<div>control_3_w=8</div> <div></div>
<div>control_3_b=5</div> <div></div>	Antibiotic Resistance Getting ill from bugs that are not killed by antibiotics	<div>control_3_w=5</div> <div></div>
<div>control_3_b=4</div> <div></div>	Lung Disease Getting lung disease as a result of air pollution	<div>control_3_w=4</div> <div></div>

Please click the forward arrow to continue...



0% 100%

control_4

Please consider the 4 hazards below:

Which hazard do you feel you have the MOST **control** over, and which do you feel you have the LEAST?

MOST Control		LEAST Control
control_4_b=4 <input type="radio"/>	Lung Disease Getting lung disease as a result of air pollution	control_4_w=4 <input type="radio"/>
control_4_b=12 <input type="radio"/>	Dog Bite Being bitten by a dog	control_4_w=12 <input type="radio"/>
control_4_b=3 <input type="radio"/>	Car Accident Being injured in a car accident	control_4_w=3 <input type="radio"/>
control_4_b=15 <input type="radio"/>	Lightning Being struck by lightning	control_4_w=15 <input type="radio"/>

Please click the forward arrow to continue...



0%  100%

control_5

Please consider the 4 hazards below:

Which hazard do you feel you have the MOST **control** over, and which do you feel you have the LEAST?

MOST Control		LEAST Control
<div>control_5_b=2</div> <div></div>	Dementia Getting dementia in your lifetime	<div>control_5_w=2</div> <div></div>
<div>control_5_b=5</div> <div></div>	Antibiotic Resistance Getting ill from bugs that are not killed by antibiotics	<div>control_5_w=5</div> <div></div>
<div>control_5_b=1</div> <div></div>	Terrorist Attack Being a victim of a terrorist attack	<div>control_5_w=1</div> <div></div>
<div>control_5_b=16</div> <div></div>	Norovirus Vomiting Bug Catching a bug which causes nausea, vomiting, diarrhoea, and abdominal cramping. Sometimes called the winter vomiting bug.	<div>control_5_w=16</div> <div></div>

Please click the forward arrow to continue...











0% 100%

control_6

Please consider the 4 hazards below:

Which hazard do you feel you have the MOST **control** over, and which do you feel you have the LEAST?

MOST Control		LEAST Control
control_6_b=12 	Dog Bite Being bitten by a dog	control_6_w=12 
control_6_b=11 	Common Cold Getting the common cold	control_6_w=11 
control_6_b=10 	Skin Cancer Getting skin cancer in your lifetime	control_6_w=10 
control_6_b=5 	Antibiotic Resistance Getting ill from bugs that are not killed by antibiotics	control_6_w=5 

Please click the forward arrow to continue...



0%  100%

control_7

Please consider the 4 hazards below:

Which hazard do you feel you have the MOST **control** over, and which do you feel you have the LEAST?

MOST Control		LEAST Control
<div>control_7_b=16</div> <input type="radio"/>	Norovirus Vomiting Bug Catching a bug which causes nausea, vomiting, diarrhoea, and abdominal cramping. Sometimes called the winter vomiting bug.	<div>control_7_w=16</div> <input type="radio"/>
<div>control_7_b=13</div> <input type="radio"/>	Bioaerosols Having breathing difficulties from inhaling spores from mould	<div>control_7_w=13</div> <input type="radio"/>
<div>control_7_b=11</div> <input type="radio"/>	Common Cold Getting the common cold	<div>control_7_w=11</div> <input type="radio"/>
<div>control_7_b=3</div> <input type="radio"/>	Car Accident Being injured in a car accident	<div>control_7_w=3</div> <input type="radio"/>









Please click the forward arrow to continue...



0%  100%

Please consider the 4 hazards below:

Which hazard do you feel you have the MOST **control** over, and which do you feel you have the LEAST?

MOST Control		LEAST Control
control_8_b=15 	Lightning Being struck by lightning	control_8_w=15 
control_8_b=16 	Norovirus Vomiting Bug Catching a bug which causes nausea, vomiting, diarrhoea, and abdominal cramping. Sometimes called the winter vomiting bug.	control_8_w=16 
control_8_b=8 	Heart Attack Suffering a heart attack in your lifetime	control_8_w=8 
control_8_b=9 	Pesticide Residues Becoming ill from eating substances that control pests or weeds that remain on or in food	control_8_w=9 

Please click the forward arrow to continue...











0%  100%

control_9

Please consider the 4 hazards below:

Which hazard do you feel you have the MOST **control** over, and which do you feel you have the LEAST?

MOST Control		LEAST Control
control_9_b=10 	Skin Cancer Getting skin cancer in your lifetime	control_9_w=10 
control_9_b=14 	Salmonella Poisoning Getting food poisoning from Salmonella	control_9_w=14 
control_9_b=13 	Bioaerosols Having breathing difficulties from inhaling spores from mould	control_9_w=13 
control_9_b=9 	Pesticide Residues Becoming ill from eating substances that control pests or weeds that remain on or in food	control_9_w=9 

Please click the forward arrow to continue...



0%  100%

control_10

Please consider the 4 hazards below:

Which hazard do you feel you have the MOST **control** over, and which do you feel you have the LEAST?

MOST Control		LEAST Control
<div>control_10_b=9</div> <div></div>	Pesticide Residues Becoming ill from eating substances that control pests or weeds that remain on or in food	<div>control_10_w=9</div> <div></div>
<div>control_10_b=2</div> <div></div>	Dementia Getting dementia in your lifetime	<div>control_10_w=2</div> <div></div>
<div>control_10_b=12</div> <div></div>	Dog Bite Being bitten by a dog	<div>control_10_w=12</div> <div></div>
<div>control_10_b=7</div> <div></div>	Diabetes Getting diabetes in your lifetime	<div>control_10_w=7</div> <div></div>

Please click the forward arrow to continue...



0% 100%

control_11

Please consider the 4 hazards below:

Which hazard do you feel you have the MOST **control** over, and which do you feel you have the LEAST?

MOST Control		LEAST Control
<div>control_11_b=7</div> <input type="radio"/>	Diabetes Getting diabetes in your lifetime	<div>control_11_w=7</div> <input type="radio"/>
<div>control_11_b=1</div> <input type="radio"/>	Terrorist Attack Being a victim of a terrorist attack	<div>control_11_w=1</div> <input type="radio"/>
<div>control_11_b=4</div> <input type="radio"/>	Lung Disease Getting lung disease as a result of air pollution	<div>control_11_w=4</div> <input type="radio"/>
<div>control_11_b=13</div> <input type="radio"/>	Bioaerosols Having breathing difficulties from inhaling spores from mould	<div>control_11_w=13</div> <input type="radio"/>

Please click the forward arrow to continue...



0% 100%

control_12

Please consider the 4 hazards below:

Which hazard do you feel you have the MOST **control** over, and which do you feel you have the LEAST?

MOST Control		LEAST Control
<div>control_12_b=1</div> <div></div>	Terrorist Attack Being a victim of a terrorist attack	<div>control_12_w=1</div> <div></div>
<div>control_12_b=10</div> <div></div>	Skin Cancer Getting skin cancer in your lifetime	<div>control_12_w=10</div> <div></div>
<div>control_12_b=6</div> <div></div>	Fire Fire at my home	<div>control_12_w=6</div> <div></div>
<div>control_12_b=15</div> <div></div>	Lightning Being struck by lightning	<div>control_12_w=15</div> <div></div>

Please click the forward arrow to continue...

csf



0% 100%



Hazards of Life

We are going to ask you about Control (and later about fear) in relation to specific Hazards

On the pages we follow we will show you sets of 4 hazards.

You simply choose the one you feel you have the most control over and the one you feel you have the least control over.

This will be done using **repeated sets** so we can understand how you feel about the hazards.



0%  100%

Here is an example

MOST Control		LEAST Control
<input type="radio"/>	Pesticide Residues Becoming ill from eating substances that control pests or weeds that remain on or in food	<input type="radio"/>
<input type="radio"/>	Norovirus Vomiting Bug Experiencing sudden onset of nausea followed by projectile vomiting and watery diarrhoea. Sometimes called the winter vomiting bug	<input type="radio"/>
<input type="radio"/>	Lung Disease Getting lung disease as a result of air pollution	<input type="radio"/>
<input type="radio"/>	Antibiotic Resistance Getting ill from bugs that are not killed by antibiotics	<input type="radio"/>



You click 1
hazard to tell us
which you have
the MOST
Control of



You click 1
hazard to tell us
which you have
the MOST
Control of



0%  100%



Congratulations! You are now over half way through the survey. You are providing us with really important information.

Now, we're going to ask you about which life hazard you feel you have the most fear of, and the hazard you feel you have the least fear of.

You will again see sets of different combinations of life hazards.

For each set of four hazards, this time we would like you to choose the ones you fear the most and fear the least.

Fear the MOST		Fear the LEAST
<input type="radio"/>	Pesticide Residues Becoming ill from eating substances that control pests or weeds that remain on or in food	<input type="radio"/>
<input type="radio"/>	Norovirus Vomiting Bug Experiencing sudden onset of nausea followed by projectile vomiting and watery diarrhoea. Sometimes called the winter vomiting bug	<input type="radio"/>
<input type="radio"/>	Lung Disease Getting lung disease as a result of air pollution	<input type="radio"/>
<input type="radio"/>	Antibiotic Resistance Getting ill from bugs that are not killed by antibiotics	<input type="radio"/>

↑
You click 1
hazard to tell us
which you **Fear**
the MOST

↑
You click 1
hazard to tell us
which you **Fear**
the LEAST



0%  100%

und

How hard was it to understand the hazards?

	Very difficult	Difficult	Neutral	Easy	Very easy
To understand the hazards was...	<div><div>und_r1=1</div><div></div></div>	<div><div>und_r1=2</div><div></div></div>	<div><div>und_r1=3</div><div></div></div>	<div><div>und_r1=4</div><div></div></div>	<div><div>und_r1=5</div><div></div></div>

ffb

How hard was it to decide which hazard you feared the most and least?

	Very difficult	Difficult	Neutral	Easy	Very easy
To make the choice was...	<div><div>ffb_r1=1</div><div></div></div>	<div><div>ffb_r1=2</div><div></div></div>	<div><div>ffb_r1=3</div><div></div></div>	<div><div>ffb_r1=4</div><div></div></div>	<div><div>ffb_r1=5</div><div></div></div>

cfb

How hard was it to decide which hazards you felt you had the most and least control over?

	Very difficult	Difficult	Neutral	Easy	Very easy
To make the choice was...	<div><div>cfb_r1=1</div><div></div></div>	<div><div>cfb_r1=2</div><div></div></div>	<div><div>cfb_r1=3</div><div></div></div>	<div><div>cfb_r1=4</div><div></div></div>	<div><div>cfb_r1=5</div><div></div></div>



0% 100%



Thank you for the time you have taken completing the previous section.

We are interested about your experience of each hazard. We would be grateful if you could please indicate if either you, or someone close to you has experienced these hazards. Please choose all that apply.

	You	Close family or friend	Neither
Terrorist Attack Being a victim of a terrorist attack	<input type="checkbox"/> eoh_r1=1	<input type="checkbox"/> eoh_r1=2	<input type="checkbox"/> eoh_r1=3
Dementia Getting dementia in your lifetime	<input type="checkbox"/> eoh_r2=1	<input type="checkbox"/> eoh_r2=2	<input type="checkbox"/> eoh_r2=3
Car Accident Being injured in a car accident	<input type="checkbox"/> eoh_r3=1	<input type="checkbox"/> eoh_r3=2	<input type="checkbox"/> eoh_r3=3
Lung Disease Getting lung disease as a result of air pollution	<input type="checkbox"/> eoh_r4=1	<input type="checkbox"/> eoh_r4=2	<input type="checkbox"/> eoh_r4=3
Antibiotic Resistance Getting ill from bugs that are not killed by antibiotics	<input type="checkbox"/> eoh_r5=1	<input type="checkbox"/> eoh_r5=2	<input type="checkbox"/> eoh_r5=3
Fire Fire at my home	<input type="checkbox"/> eoh_r6=1	<input type="checkbox"/> eoh_r6=2	<input type="checkbox"/> eoh_r6=3
Diabetes Getting diabetes in your lifetime	<input type="checkbox"/> eoh_r7=1	<input type="checkbox"/> eoh_r7=2	<input type="checkbox"/> eoh_r7=3
Heart Attack Suffering a heart attack in your lifetime	<input type="checkbox"/> eoh_r8=1	<input type="checkbox"/> eoh_r8=2	<input type="checkbox"/> eoh_r8=3
Pesticide Residues Becoming ill from eating substances that control pests or weeds that remain on or in food	<input type="checkbox"/> eoh_r9=1	<input type="checkbox"/> eoh_r9=2	<input type="checkbox"/> eoh_r9=3
Skin Cancer Getting skin cancer in your lifetime	<input type="checkbox"/> eoh_r10=1	<input type="checkbox"/> eoh_r10=2	<input type="checkbox"/> eoh_r10=3
Common Cold Getting the common cold	<input type="checkbox"/> eoh_r11=1	<input type="checkbox"/> eoh_r11=2	<input type="checkbox"/> eoh_r11=3
Dog Bite Being bitten by a dog	<input type="checkbox"/> eoh_r12=1	<input type="checkbox"/> eoh_r12=2	<input type="checkbox"/> eoh_r12=3
Bioaerosols Having breathing difficulties from inhaling spores from mould	<input type="checkbox"/> eoh_r13=1	<input type="checkbox"/> eoh_r13=2	<input type="checkbox"/> eoh_r13=3
Salmonella Poisoning Getting food poisoning from Salmonella	<input type="checkbox"/> eoh_r14=1	<input type="checkbox"/> eoh_r14=2	<input type="checkbox"/> eoh_r14=3
Lightning Being struck by lightning	<input type="checkbox"/> eoh_r15=1	<input type="checkbox"/> eoh_r15=2	<input type="checkbox"/> eoh_r15=3

Norovirus Vomiting Bug

Catching a bug which causes nausea, vomiting, diarrhoea, and abdominal cramping. Sometimes called the winter vomiting bug.

eah_r16=1



eah_r16=2



eah_r16=3



0%



100%

th

Below we list for the final time the hazards we've been asking you about.

In your day to day life, have you ever done anything to reduce the risk from the hazards we asked about?

	Tried to reduce the risk	Not tried to reduce the risk
Terrorist Attack Being a victim of a terrorist attack	th_r1=1 <input type="radio"/>	th_r1=2 <input type="radio"/>
Dementia Getting dementia in your lifetime	th_r2=1 <input type="radio"/>	th_r2=2 <input type="radio"/>
Car Accident Being injured in a car accident	th_r3=1 <input type="radio"/>	th_r3=2 <input type="radio"/>
Lung Disease Getting lung disease as a result of air pollution	th_r4=1 <input type="radio"/>	th_r4=2 <input type="radio"/>
Antibiotic Resistance Getting ill from bugs that are not killed by antibiotics	th_r5=1 <input type="radio"/>	th_r5=2 <input type="radio"/>
Fire Fire at my home	th_r6=1 <input type="radio"/>	th_r6=2 <input type="radio"/>
Diabetes Getting diabetes in your lifetime	th_r7=1 <input type="radio"/>	th_r7=2 <input type="radio"/>
Heart Attack Suffering a heart attack in your lifetime	th_r8=1 <input type="radio"/>	th_r8=2 <input type="radio"/>
Pesticide Residues Becoming ill from eating substances that control pests or weeds that remain on or in food	th_r9=1 <input type="radio"/>	th_r9=2 <input type="radio"/>
Skin Cancer Getting skin cancer in your lifetime	th_r10=1 <input type="radio"/>	th_r10=2 <input type="radio"/>
Common Cold Getting the common cold	th_r11=1 <input type="radio"/>	th_r11=2 <input type="radio"/>
Dog Bite Being bitten by a dog	th_r12=1 <input type="radio"/>	th_r12=2 <input type="radio"/>
Bioaerosols Having breathing difficulties from inhaling spores from mould	th_r13=1 <input type="radio"/>	th_r13=2 <input type="radio"/>
Salmonella Poisoning Getting food poisoning from Salmonella	th_r14=1 <input type="radio"/>	th_r14=2 <input type="radio"/>
Lightning Being struck by lightning	th_r15=1 <input type="radio"/>	th_r15=2 <input type="radio"/>
Norovirus Vomiting Bug Catching a bug which causes nausea, vomiting, diarrhoea, and abdominal cramping. Sometimes called the winter vomiting bug.	th_r16=1 <input type="radio"/>	th_r16=2 <input type="radio"/>





If you have any additional thoughts about the survey, please tell us here.



0%  100%

eth

To finish, we would like to know a little more about you.

To which of the following ethnic groups do you regard yourself as belonging to?

☐ eth=1 White British

☐ eth=2 White Irish

☐ eth=3 Other White

☐ eth=4 Black or Black British – Caribbean

☐ eth=5 Black or Black British – African

☐ eth=6 Other Black

☐ eth=7 Asian British – Indian

☐ eth=8 Asian British – Bangladeshi

☐ eth=9 Chinese

☐ eth=10 Other Asian

☐ eth=11 Mixed ethnicity – white and black Caribbean

☐ eth=12 Mixed ethnicity – white and black African

☐ eth=13 Prefer not to say

qual

What is your highest qualification level?

hhp

How many people live in your household?

par

Are you a parent or legal guardian?

☐ par=1 Yes

☐ par=2 No



0%  100%

pary

How many children live with you?

	0	1	2	3	4	5	6	6+
Newborns	<input type="text" value="pary_r1=1"/>	<input type="text" value="pary_r1=2"/>	<input type="text" value="pary_r1=3"/>	<input type="text" value="pary_r1=4"/>	<input type="text" value="pary_r1=5"/>	<input type="text" value="pary_r1=6"/>	<input type="text" value="pary_r1=7"/>	<input type="text" value="pary_r1=8"/>
Infants (1 month - 2 years)	<input type="text" value="pary_r2=1"/>	<input type="text" value="pary_r2=2"/>	<input type="text" value="pary_r2=3"/>	<input type="text" value="pary_r2=4"/>	<input type="text" value="pary_r2=5"/>	<input type="text" value="pary_r2=6"/>	<input type="text" value="pary_r2=7"/>	<input type="text" value="pary_r2=8"/>
Young children (3-6 years)	<input type="text" value="pary_r3=1"/>	<input type="text" value="pary_r3=2"/>	<input type="text" value="pary_r3=3"/>	<input type="text" value="pary_r3=4"/>	<input type="text" value="pary_r3=5"/>	<input type="text" value="pary_r3=6"/>	<input type="text" value="pary_r3=7"/>	<input type="text" value="pary_r3=8"/>
Children (7-12 years)	<input type="text" value="pary_r4=1"/>	<input type="text" value="pary_r4=2"/>	<input type="text" value="pary_r4=3"/>	<input type="text" value="pary_r4=4"/>	<input type="text" value="pary_r4=5"/>	<input type="text" value="pary_r4=6"/>	<input type="text" value="pary_r4=7"/>	<input type="text" value="pary_r4=8"/>
Adolescent (13-18 years)	<input type="text" value="pary_r5=1"/>	<input type="text" value="pary_r5=2"/>	<input type="text" value="pary_r5=3"/>	<input type="text" value="pary_r5=4"/>	<input type="text" value="pary_r5=5"/>	<input type="text" value="pary_r5=6"/>	<input type="text" value="pary_r5=7"/>	<input type="text" value="pary_r5=8"/>



0%  100%

Inc

Finally, which of these bands does your household, pre-tax income fall into?

(if you have a spouse/partner include their income with yours).

<input type="radio"/> inc=1 Up to £6,499	<input type="radio"/> inc=5 £25,000 - £34,999	<input type="radio"/> inc=9 £75,000 - £99,999	<input type="radio"/> inc=13 More than £200,000
<input type="radio"/> inc=2 £6,500 - £11,499	<input type="radio"/> inc=6 £35,000 - £44,999	<input type="radio"/> inc=10 £100,000 - £124,999	<input type="radio"/> inc=14 Prefer not to say
<input type="radio"/> inc=3 £11,500 - £17,499	<input type="radio"/> inc=7 £45,000 - £54,999	<input type="radio"/> inc=11 £125,000 - £149,999	
<input type="radio"/> inc=4 £17,500 - £24,999	<input type="radio"/> inc=8 £55,000 - £74,999	<input type="radio"/> inc=12 £150,000 - £199,999	



0%  100%

Finish



We really appreciate your time you have given to take part in our study.

Your responses will be used to generate new knowledge and protect human health.

Please click on the forward arrow to finish the survey...



0%  100%

complete

Note:

When respondents take the survey in regular mode this page will not be displayed. Respondents will be redirected to the link below:

[http://endlinks.researchnow.com/d?status=1&rnid=\[Script\]&study=\[Script\]](http://endlinks.researchnow.com/d?status=1&rnid=[Script]&study=[Script])

Powered by Sawtooth Software, Inc.

0%  100%

screenout

Note:

When respondents take the survey in regular mode this page will not be displayed. Respondents will be redirected to the link below:

[http://endlinks.researchnow.com/d?status=2&rnid=\[Script\]&study=\[Script\]](http://endlinks.researchnow.com/d?status=2&rnid=[Script]&study=[Script])

Powered by Sawtooth Software, Inc.

0%  100%

overquota

Note:

When respondents take the survey in regular mode this page will not be displayed. Respondents will be redirected to the link below:

[http://endlinks.researchnow.com/d?status=3&rnid=\[Script\]&study=\[Script\]](http://endlinks.researchnow.com/d?status=3&rnid=[Script]&study=[Script])

Powered by Sawtooth Software, Inc.

0%  100%